

七、投标方案说明

(一) 技术指标评审

1. 产品检测报告

(1) 电动扩张器: GYKZ-66/700-D、电动剪切钳: GYJQ-40(20)/200



检测报告

Test Report

产品名称: 电动破拆工具组
Name of Sample

型号规格: /
Type

委托单位: 上海泉云实业有限公司
Applicant

检测类别: 委托检测
Test Purpose



上海市质量监督检验技术研究院
Shanghai Institute of Quality Inspection and Technical Research

上海市质量监督检验技术研究院
检测报告

 报告编号:N02405350007
共 2 页第 1 页

样品名称	电动破拆工具组			检测类别	委托检测
型号规格	/			商 标	泉云
等级	合格品				
委托单位	上海泉云实业有限公司				
受检单位	上海泉云实业有限公司				
标称生产单位	上海泉云实业有限公司				
委托书编号	N02405350007	委托/抽样日期	2024年01月20日		
到样日期	2024年01月20日	抽样地点	/		
样品数量	1套	受检批数量	/		
生产日期	2024.1	批号/编号	/		
样品到样状态	完好 委托方送样				
检测地点	上海市万荣路918号				
检测依据	电动破拆工具组试验大纲 GB/T 2423.1-2008 电工电子产品环境试验 第2部分：试验方法 试验A：低温 GB/T 2423.2-2008 电工电子产品环境试验 第2部分：试验方法 试验B：高温 参考 GB/T 17906-2021 消防应急救援装备 液压破拆工具通用技术条件				
检测日期	2024年03月11日 至 2024年03月15日				
检测结论	本报告仅提供单项检测结论。详见本报告检测结果汇总页。  检测报告用章 签发日期：2024年04月02日 检验检测专用章 JD				
委托单位 通讯资料	地址	上海市松江区思贤路3655号A2栋103室			
	邮编	201600	电话	17717689119	
备注	本报告检验检测结论是根据检验检测依据/判定依据对所检项目得出的，不代表未经检验检测的项目或功能符合要求。 相关项目未取得资质认定的，供科研、教学或内部质量控制之用。标*项目为非CNAS项目。 注意事项、声明及所属单位一览表为本报告的组成部分。				

批准 赵举



审核



主检



检测报告

上海市质量监督检验技术研究院

报告编号: N02405350007

共 2 页第 2 页

检测结果汇总						
序号	检测项目	技术要求	检测结果	单项判定	备注	
1	高温试验	设备经过60℃ 2h 的高温试验后能正常使用无异常现象。	符合要求	符合	/	
2	低温试验	设备经过-10℃ 2h的低温试验后能正常使用无异常现象。	符合要求	符合	/	
3	性能验证参数*					
	扩张力范围	≥30kN	61.2kN~221.4kN	符合	对应参数3 (2)	
3.1	电动液压扩张器 GKZ-66/700-D	最大扩张距离	≥600mm	700mm	符合	对应参数4 (3) 额定工作压力 72MPa
		最大牵引距离	≥550mm	580mm	符合	对应参数6 (5)
		标称最大牵引力	43kN	符合要求	符合	对应参数5 (4)
3.2	电动液压剪切器 GYJQ-40(20)/200	开口距离	≥180mm	200mm	符合	对应参数9 (2)
		最大剪切能力 (Q235A材料)	≥Φ30mm圆钢	Φ40mm圆钢	符合	额定工作压力 72MPa 对应参数 10 (3)
			≥15mm板材	20mm板材	符合	
标称最大剪切力	1225kN	符合要求	符合			
3.3	电动液压剪扩器 GYJK-48/40(25)	剪切开口距离	≥200mm	220mm	符合	额定工作压力 72MPa
		剪刀端部最大开口距离	≥400mm	470mm	符合	
		扩张力范围	≥30kN	48.3kN~107.2kN	符合	
		最大剪切能力 (Q235A材料)	≥Φ30mm圆钢	Φ40mm圆钢	符合	
			≥20mm板材	25mm板材	符合	
标称最大剪切力	1230kN	符合要求	符合			

以下空白

注 意 事 项

Notices

- 1、报告无“检验检测专用章”或检测单位公章无效。
The report is valid with the "special seal for inspection and testing" or the official seal of SQI.
- 2、不得部分复制报告，复制报告须加盖“检验检测专用章”或检测单位公章，否则无效。
The report shall not be reproduced except in full. The copied report is valid with the "special seal for inspection and testing" or the official seal of SQI.
- 3、报告无主检/编制、审核、批准人签名无效。
The report is valid with signature of major inspector, reviewer and approver.
- 4、报告涂改无效。
The report is invalid with any alteration or falsification.

授权国家质检中心名称

National Center of Quality Inspection and Testing

- 1、国家日用消费品质量检验检测中心
National Center of Quality Inspection and Testing on Consumer Goods
- 2、国家家具质量检验检测中心
National Center of Quality Inspection and Testing on Furniture
- 3、国家建筑材料及装饰装修材料质量检验检测中心
National Center of Quality Inspection and Testing on Building and Decoration Materials
- 4、国家智能电网分布式电源装备质量检验检测中心（上海）
National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai)
- 5、国家电器能效与安全质量检验检测中心
National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance
- 6、国家食品质量检验检测中心（上海）
National Center of Quality Inspection and Testing on Food Products (Shanghai)
- 7、国家保洁产品质量检验检测中心
National Center of Quality Inspection and Testing on Cosmetics and Cleaning Products
- 8、国家电光源质量检验检测中心（上海）
National Center of Inspection and Testing on Electric Light Source Quality (Shanghai)
- 9、国家灯具质量检验检测中心
China National Lighting Fitting Quality Inspection and Testing Centre (CLTC)

声 明

Statement

- 1、木质检机构保证检测的科学性、公正性和准确性，对检测的数据、结果负责，并对客户所提供的样品和技术资料保密。
SQI pledges to conduct scientific, impartial and accurate testing, undertakes the liability of testing data and results, and protects the confidentiality of client(s)' sample(s) and technical information.
- 2、对送样委托检测报告若有异议，应于报告收到之日起十五日内向本质检机构提出，逾期不予受理。
Any objection to the test report of delivered samples shall be submitted to SQI within 15 days from the date of receiving the report; overdue submission will not be accepted.
- 3、对于非本质检机构实施抽样的检测报告，检测结果仅适用于客户提供的样品。
For the test report not sampled by SQI, the test results hereon refer only to the sample(s) provided by the client.
- 4、未经本质检机构同意，委托人不得擅自使用检测数据、结果进行不当宣传。
Without prior approval of SQI, any client shall not use the testing data and results for improper publicity.
- 5、本质检机构在资质认定证书确定的能力范围内，对社会出具具有证明作用数据、结果时，应当标注检验检测机构资质认定标志，并加盖检验检测专用章。在资质认定证书确定的能力范围外，出具的检验检测报告或者证书上不得标注检验检测机构资质认定标志，该数据、结果对社会不具有证明作用。
Within the capacity scopes of Qualification Accreditation Certificates, SQI shall issue data and results with proving effect to the society with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA) and the special seal for inspection and testing of SQI. Beyond the capacity scopes of Qualification Accreditation Certificates, SQI shall not issue test reports or certificates with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA), and the data and results thereon have no proving effect to the society.



上海市质量监督检验技术研究院所属单位一览表

Subordinate Units of Shanghai Institute of Quality Inspection and Technical Research (SQI)

- 1 食品化学产品质量检验所(代码SP)/ 国家食品质量检验检测中心(上海)/ 国家保洁产品质量检验检测中心/ 上海市食品质量监督检验站
 Institute of Quality Inspection of Food and Chemicals (SQI_SP) / National Center of Quality Inspection and Testing on Food Products (Shanghai) / National Center of Quality Inspection and Testing on Cosmetics and Cleaning Products/ Shanghai Municipal Station of Quality Supervision and Inspection of Food Products

地址: 上海市徐汇区苍梧路381号	邮编: 200233
电话: 021-54263362	传真: 021-54265730
Address: No.381, Cangwu Rd., Xuhui District, Shanghai	Post: 200233
Tel: 021-54263362	Fax: 021-54265730
地址: 上海市奉贤区平庄西路3086号(日化产品)	邮编: 201499
电话: 021-57493107	传真: 021-57493162
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai (Daily Chemical Products)	Post: 201499
Tel: 021-57493107	Fax: 021-57493162
E-mail: shihuas@sqi.org.cn	
- 2 上海时代之光照明电器检测有限公司(代码ZM)/ 国家光源质量检验检测中心(上海)/ 国家灯具质量检验检测中心/ 国家轻工工业灯具质量监督检验中心/ 上海市照明产品质量监督检验站
 Shanghai Alpha Lighting Equipment Testing Ltd. (SQI_ZM) / National Center of Inspection and Testing on Electric Light Source Quality (Shanghai) / China National Lighting Fitting Quality Inspection and Testing Centre (CLTC) / National Center for Quality Supervision and Inspection of Light Industrial Luminares / Shanghai Municipal Station of Quality Supervision and Test on Lighting Products

地址: 上海市闵行区江月路900号2号楼	邮编: 201114
电话: 021-54336162, 54336173, 54336181, 54336227	传真: 021-54337200
Address: 2 nd Building, No.900, Jiangyue Rd., Minhang District, Shanghai	Post: 201114
Tel: 021-54336162, 54336173, 54336181, 54336227	Fax: 021-54337200
E-mail: salt@sqi.org.cn, salt@saltnet.com.cn, sdzg@sqi.org.cn	
- 3 机电产品质量检验所(代码JD)/ 上海市机电产品质量监督检验站
 Institute of Quality Inspection of Mechanical and Electronic Products (SQI_JD) / Shanghai Municipal Station of Quality Supervision and Inspection of Mechanical and Electronic Products

地址: 上海市静安区万荣路918号	邮编: 200072
电话: 021-56035307, 56652534	传真: 021-56652624
Address: No.918, Wanrong Rd., Jing'an District, Shanghai	Post: 200072
Tel: 021-56035307, 56652534	Fax: 021-56652624
E-mail: jds@sqi.org.cn	
- 4 轻工与化工产品质量监督检验所(代码QG、HG)/ 国家日用消费品质量监督检验中心/ 上海市轻工产品质量监督检验站/ 上海市化工产品质量监督检验站
 Institute of Quality Inspection of Light Industrial Products and Chemical Products (SQI_QG/HG) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Light Industrial Products/ Shanghai Municipal Station of Quality Supervision and Inspection of Chemical Products

地址: 上海市闵行区江月路900号3号楼	邮编: 201114
电话: 021-54336172, 54336175	传真: 021-54336175
Address: 3 rd Building, No.900, Jiangyue Rd., Minhang District, Shanghai	Post: 201114
Tel: 021-54336172, 54336175	Fax: 021-54336175
地址: 上海市奉贤区平庄西路3086号	邮编: 201499
电话: 021-54336172, 54336175	传真: 021-54336175
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai	Post: 201499
Tel: 021-54336172, 54336175	Fax: 021-54336175
E-mail: qgs@sqi.org.cn, qinggong@sqi.org.cn	
- 5 建材家居装饰装修质量检验所(代码JC)/ 国家家具质量监督检验中心/ 国家轻工工业建筑五金质量监督检验中心/ 国家建筑材料及装饰装修材料质量监督检验中心/ 上海市建筑材料及装饰装修材料质量监督检验站/ 上海市室内装饰装修质量监督检验站
 Institute of Quality Inspection of Building Materials and Decoration Materials (SQI_JC) / National Center of Quality Inspection and Testing on Furniture / National Center for Quality Supervision and Inspection of Light Industrial Furniture / National Center for Quality Supervision and Inspection of Building Hardware Materials and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Building Materials and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Interior Decoration

地址: 上海市闵行区江月路900号5号楼	邮编: 201114
电话: 021-54336170, 54336225	传真: 021-54336170
Address: 5 th Building, No.900, Jiangyue Rd., Minhang District, Shanghai	Post: 201114
Tel: 021-54336170, 54336225	Fax: 021-54336170
地址: 上海市奉贤区平庄西路3086号	邮编: 201499
电话: 021-57493115	传真: 021-57493162
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai	Post: 201499
Tel: 021-57493115	Fax: 021-57493162
E-mail: jcs@sqi.com.cn, jiancai@sqi.org.cn	
- 6 电子电器家用电器质量监督检验所(代码DZ、DQ)/ 国家电器能效与安全质量检验检测中心/ 国家智能电网分布式电源装备质量监督检验中心(上海)/ 上海市电子电器家用电器质量监督检验站
 Institute of Quality Inspection of Electronics and Household Appliances (SQI_DZ/DQ) / National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance/ National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai) / Shanghai Municipal Station of Quality Supervision and Inspection of Electronics and Household Appliances

地址: 上海市闵行区江月路900号4号楼	邮编: 201114
电话: 021-54336322; 64336605	传真: 021-64313348
E-mail: dzs@sqi.org.cn	
Address: 4 th Building, No.900, Jiangyue Rd., Minhang District, Shanghai	Post: 201114
Tel: 021-54336322, 64336605	Fax: 021-64313348
E-mail: dzs@sqi.org.cn	
地址: 上海市徐汇区苍梧路381号	邮编: 200233
电话: 021-54263097, 64336605	传真: 021-64850806
Address: No.381, Cangwu Rd., Xuhui District, Shanghai	Post: 200233
Tel: 021-54263097, 64336605	Fax: 021-64850806
E-mail: dqs@sqi.org.cn	
- 7 计量检测所(代码JL)
 Institute of Metrology Inspection (SQI_JL)

地址: 上海市闵行区江月路900号5号楼	邮编: 201114
电话: 021-54336149, 54336148	传真: 021-62892960
Address: 5 th Building, No.900, Jiangyue Rd., Minhang District, Shanghai	Post: 201114
Tel: 021-54336149, 54336148	Post: 200031
地址: 上海市徐汇区永嘉路627号	邮编: 200031
电话: 021-64372125	传真: 021-64372135
Address: No.627 Yongjia Rd., Xuhui District, Shanghai	Post: 201114
Tel: 021-64372125	Fax: 021-64372135
E-mail: jls@sqi.org.cn	
- 8 纤维检验所(代码XW)/ 国家日用消费品质量监督检验中心/ 上海市纺织纤维质量监督检验站
 Institute of Fiber Inspection (SQI_XW) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Textile and Fiber

地址: 上海市东路1228号	邮编: 200040
电话: 021-62495465	传真: 021-62481025
Address: No.1228, Changle Rd., Shanghai	Post: 200040
Tel: 021-62495465	Fax: 021-62481025
E-mail: xws@sqi.org.cn	

研究院



(2) 电动撑顶杆: GYCD-130/950-D

检 验 报 告

No Zb201840482

受检单位名称 上海朵云实业有限公司

产品型号名称 电动液压破拆工具组

检 验 类 别 委托检验




国家消防装备质量监督检验中心

国家消防装备质量监督检验中心
 检验报告

No Zb201840482

共 03 页 第 01 页

产品名称	电动液压破拆工具组	型号规格	/
受检单位	上海泉云实业有限公司	商 标	/
生产单位	上海泉云实业有限公司	检验类别	委托检验
抽样地点	/	抽样基数	/
抽样单位	/	抽样日期	/
委托单位	上海泉云实业有限公司	受理日期	2018 年 11 月 15 日
样品数量	2 套	生产日期	/
检验依据	《电动液压破拆工具组试验大纲》		
检验项目	全检		
检 验 情 况	检验情况见《检验结果汇总表》。 <div style="text-align: right;"> (检验检测专用章) 签发日期 2019 年 1 月 9 日 检验检测 专用章 </div>		
备 注			

 批准:  审核:  编制: 

检验结果汇总表

 生产单位：上海泉云实业有限公司
 产品型号：/

 No Zb201840482
 共 03 页 第 02 页

序号	检验项目	检验结果	
1	构成	破拆工具组由电动扩张器、电动剪切器、电动剪扩器、电动撑顶器、交流转直流电源适配器组成。	
2	外观	破拆工具的外观光滑平整，无毛刺及加工缺陷。	
3	GYKZ-50/720 -D型电动扩张器	最大扩张力 (kN)	51.16 (测力点距扩张臂顶端的垂直距离为 72mm)
		扩张距离 (mm)	720.0
		质量 (kg)	23.99 (含电池及液压油) 23.15 (不含电池)
4	GYJQ-33(16)/150 -D型电动剪切器	剪切能力 (mm)	能剪切 ϕ 33 圆钢、厚度 16 板材 (Q235A 材质)
		开口距离 (mm)	150.0
		质量 (kg)	20.29 (含电池及液压油) 19.45 (不含电池)
5	GYJQ-35(16)/250 -D型电动剪切器	剪切能力 (mm)	能剪切 ϕ 35 圆钢、厚度 16 板材 (Q235A 材质)
		开口距离 (mm)	250.0
		质量 (kg)	19.53 (含电池及液压油) 18.69 (不含电池)
6	GYJK-50/35(20) -D型电动剪扩器	最大扩张力 (kN)	50.48 (测力点距扩张臂顶端的垂直距离为 75mm)
		开口距离 (mm)	364.0
		剪切能力 (mm)	能剪切 ϕ 35 圆钢、厚度 20 板材 (Q235A 材质)
		质量 (kg)	21.30 (含电池及液压油) 20.46 (不含电池)

国家消防装备质量监督检验中心

检验结果汇总表

生产单位：上海泉云实业有限公司

No Zb201840482

产品型号：/

共 03 页 第 03 页

序号	检验项目	检验结果
7	GYCD-130/950-D 型电动撑顶器	撑顶长度(mm) 950.0 对应参数13 (3)
	撑顶器闭合长度 (mm) 570.0 对应参数14 (4)	
	撑顶力(kN) 133.45 对应参数12 (2)	
	撑顶器质量(kg) 19.49 (含电池及液压油) 对应参数11 (1) 18.65 (不含电池)	
	延长杆长度(mm) 100.0、175.0、300.0	
	延长杆质量(kg) 0.86、1.70、2.58	
8	可靠性	破拆工具组中的电动扩张器、电动剪切器、电动剪扩器和电动撑顶器经可靠性试验后，动作正常，无异常现象。
9	电量显示功能	破拆工具应具备电量显示功能。电量分5档显示，电量20%以上显示绿色，20%及以下显示红色。
10	照明功能	破拆工具机身设有作业时照明用LED灯和相应控制开关。LED灯与破拆工具的液压系统使用同一电源，不单独安装电池。
11	手柄旋转功能	电动剪扩器和电动剪切器的手柄具备旋转功能，能沿机身中心轴切面方向360°旋转，且每隔90°能牢固定位。
12	交直流两用功能	破拆工具组配有1台交流转直流电源适配器。适配器一端连接220V交流电源，另一端连接破拆工具的电池接口（此时电池需取下）后，破拆工具能正常工作。
以下空白。		

国家消防装备质量监督检验中心

(3) 电动剪扩钳: GYDP-116/JK



中国认可
国际互认
检测
TESTING
CNAS L0128



WB2105241724

检测报告

Test Report




ZLcTWqfZ

产品名称: 电动破拆工具组
Name of Sample

型号规格: XY-DP/72-10
Type

委托单位: 上海泉云实业有限公司
Applicant

检测类别: 委托检测
Test Purpose



上海市质量监督检验技术研究院
Shanghai Institute of Quality Inspection and Technical Research

上海市质量监督检验技术研究院
 检测报告

 报告编号: WB2105241724
 共 7 页第 1 页

样品名称	电动破拆工具组			检测类别	委托检测
型号规格	XY-DP/72-10			商 标	泉云
等级	合格品				
委托单位	上海泉云实业有限公司				
受检单位	上海泉云实业有限公司				
标称生产单位	上海泉云实业有限公司				
委托书编号	WB2105241724	委托/抽样日期	2021年10月18日		
到样日期	2021年10月18日	抽样地点	/		
样品数量	1台	受检批数量	/		
生产日期	2021.09	批号/编号	/		
样品到样状态	完好 现场检测				
检测地点	上海市万荣路918号 思贤路3655号7幢1003室				
检测依据	液压破拆工具组试验大纲 GB/T 17906-1999 液压破拆工具通用技术条件 GB/T 7999-2015 铝及铝合金光电直读发射光谱分析方法				
检测日期	2021年11月01日 至 2021年11月02日				
检测结论	本报告仅提供单项检测结论。详见本报告检测结果汇总表。  (检测报告专用章) 签发日期: 2021年12月02日				
委托单位 通讯资料	地址	上海市松江区思贤路3655号7幢1003室			
	邮编	201600	电话	17717689119	
备 注	本报告检验检测结论是根据检验检测依据/判定依据对所检项目得出的, 不代表未经检验检测的项目或功能符合要求。所检项目未取得资质认定, 仅作为科研、教学或内部质量控制之用。标注☆为非CNAS认可项目。用于破拆的钢管、钢板、混凝土等为客户声明材质, 电池为明示参数, 本机构不对其准确性负责。电动破拆工具质量不包含电池。				

批准 赵举

审核

主检

SQIKJ-JL/BG-01

检测报告

报告编号:WB2105241724

上海市质量监督检验技术研究院

共 7 页第 2 页

检测结果汇总							
序号	检测项目	技术要求		检测结果	单项判定	备注	
1	外观	破拆工具的外表面应光滑平整,无毛刺及加工缺陷。		符合要求	符合	☆	
2	电动扩张器 GYDP-720/KZ	工作压力 (Mpa)	≥70	72.6	符合	☆	
		扩张距离 (mm)	≥700	720	符合		
		扩张力 (kN)	52~206	符合要求	符合		
		质量 (kg)	≤24	23.2	符合		
		带夜间照明系统,配有电量显示功能,电量低于20%时显示报警(红色),控制阀门为星形手柄,用单手指即可操作。		符合要求	符合		
		额定电压:28V;容量:6.0Ah可通用于全线电动工具		符合要求	符合		
		配有220V电源线直接使用交流电源,无工作时间限制。		符合要求	符合		
3	电动剪扩钳(轻型) GYDP-81/JK	工作压力 (Mpa)	≥70	72.6	符合	☆	
		张开距离 (mm)	≥350	365	符合		
		扩张力 (kN)	47~81	符合要求	符合		
		剪切能力	剪切钢管直径 (mm)	≥30	33		符合
			剪切钢板厚度 (mm)	≥16	18		符合
		质量 (kg)	≤22	20.0	符合		
		带夜间照明系统,配有电量显示功能,电量低于20%时显示报警(红色),控制阀门为星形手柄,用单手指即可操作。		符合要求	符合		
		额定电压:28V;容量:6.0Ah可通用于全线电动工具。		符合要求	符合		
		配有220V电源线直接使用交流电源,无工作时间限制。		符合要求	符合		
		手柄具备旋转功能,能沿机身中心轴切面方向360°旋转且每隔90°能定位。		符合要求	符合		

SQI/KJ-JL/BG-03

检测报告

报告编号:WB2105241724

上海市质量监督检验技术研究院

共 7 页第 3 页

检测结果汇总						
序号	检测项目	技术要求	检测结果	单项判定	备注	
4	电动剪扩器 (重型) GYDP-116/JK	工作压力 (Mpa)	≥70	72.6	符合	
		张开距离 (mm)	≥380	390	符合	对应参数 19(5)
		扩张力 (kN)	53~116	符合要求	符合	
		剪切能力	剪切钢管直径 (mm) ≥32	35	符合	对应参数 16(2)
			剪切钢板厚度 (mm) ≥18	20	符合	对应参数 17(3)
		质量 (kg)	≤21	20.7	符合	☆
		带夜间照明系统, 配有电量显示功能, 电量低于20%时显示报警 (红色), 控制阀门为星形手柄, 用单手指即可操作。		符合要求	符合	对应参数 20
		额定电压: 28V; 容量: 6.0Ah可通用于全线电动工具。		符合要求	符合	对应参数 21
		配有220V电源线直接使用交流电源, 无工作时间限制。		符合要求	符合	
		手柄具备旋转功能, 能沿机身中心轴切面方向360° 旋转且能任意位置固定。		符合要求	符合	
5	电动剪切器 (轻型) GYDP-185/JQ	工作压力 (Mpa)	≥70	72.6	符合	
		张开距离 (mm)	≥160	185	符合	
		剪切能力	剪切钢管直径 (mm) ≥32	34	符合	
			剪切钢板厚度 (mm) ≥10	12	符合	
		质量 (kg)	≤18	17.8	符合	☆
		带夜间照明系统, 配有电量显示功能, 电量低于20%时显示报警 (红色), 控制阀门为星形手柄, 用单手指即可操作。		符合要求	符合	
		额定电压: 28V; 容量: 6.0Ah可通用于全线电动工具。		符合要求	符合	
		配有220V电源线直接使用交流电源, 无工作时间限制。		符合要求	符合	
		手柄具备旋转功能, 能沿机身中心轴切面方向360° 旋转且每隔90° 能定位。		符合要求	符合	

SQI/KJ-JL/BG-03

检测报告

报告编号:WB2105241724

上海市质量监督检验技术研究院

共 7 页第 4 页

检测结果汇总						
序号	检测项目	技术要求		检测结果	单项判定	备注
6	电动剪切器 (重型) GYDP-330/JQ	工作压力 (Mpa)	≥70	72.6	符合	☆
		张开距离 (mm)	≥310	330	符合	
		剪切能力	剪切钢管直径 (mm) ≥34	35	符合	
			剪切钢板厚度 (mm) ≥16	18	符合	
		质量 (kg)	≤21	20.4	符合	
		带夜间照明系统, 配有电量显示功能, 电量低于20%时显示报警 (红色), 控制阀门为星形手柄, 用单手指即可操作。		符合要求	符合	
		额定电压: 28V; 容量: 6.0Ah可通用于全线电动工具。		符合要求	符合	
		配有220V电源线直接使用交流电源, 无工作时间限制。		符合要求	符合	
		手柄具备旋转功能, 能沿机身中心轴切面方向360° 旋转且能任意位置固定。		符合要求	符合	
		7	电动单级撑顶器 GYDP-135/935	工作压力 (Mpa)	≥70	
撑顶力 (kN)	≥130			135.2	符合	
撑顶长度 (mm)	≥920			935	符合	
闭合长度 (mm)	≤600			560	符合	
撑顶行程 (mm)	≥320			335	符合	
质量 (kg)	≤20			18.2	符合	
带夜间照明系统, 配有电量显示功能, 电量低于20%时显示报警 (红色), 控制阀门为星形手柄, 用单手指即可操作。				符合要求	符合	
额定电压: 28V; 容量: 6.0Ah可通用于全线电动工具。				符合要求	符合	
配有220V电源线直接使用交流电源, 无工作时间限制。				符合要求	符合	

SQI/KJ-JL/BG-03

检测报告

报告编号:WB2105241724

上海市质量监督检验技术研究院

共 7 页第 5 页

检测结果汇总								
序号	检测项目	技术要求		检测结果	单项判定	备注		
8	电动双级撑顶器 GYDP-160/1290	工作压力 (Mpa)	≥70	72.6	符合	☆		
		一级撑顶力 (kN)	≥150	160.2	符合			
		二级撑顶力 (kN)	≥70	72.2	符合			
		一级撑顶行程 (mm)	≥350	370	符合			
		二级撑顶行程 (mm)	≥330	350	符合			
		闭合长度 (mm)	≤600	570	符合			
		撑顶长度 (mm)	≥1250	1290	符合			
		质量 (kg)	≤21	20.2	符合			
		带夜间照明系统, 配有电量显示功能, 电量低于20%时显示报警 (红色), 控制阀门为星形手柄, 用单手指即可操作。					符合要求	符合
		额定电压: 28V; 容量: 6.0Ah可通用于全线电动工具。					符合要求	符合
配有220V电源线直接使用交流电源, 无工作时间限制。				符合要求	符合			
9	电动开缝器 GYDP-225/55	工作压力 (Mpa)	≥70	72.6	符合	☆		
		扩张力 (kN)	≥220	225.8	符合			
		最大开启距离 (mm)	≥50	55	符合			
		最小开缝距离 (mm)	≤5	3	符合			
		质量 (kg)	≤18	16.2	符合			
		带夜间照明系统, 配有电量显示功能, 电量低于20%时显示报警 (红色), 控制阀门为星形手柄, 用单手指即可操作。					符合要求	符合
		额定电压: 28V; 容量: 6.0Ah可通用于全线电动工具。					符合要求	符合
		配有220V电源线直接使用交流电源, 无工作时间限制。					符合要求	符合

检 测 报 告

SQI/KJ-JL/BG-03

检测报告

报告编号:WB2105241724

上海市质量监督检验技术研究院

共 7 页第 6 页

检测结果汇总						
序号	检测项目	技术要求		检测结果	单项判定	备注
10	混凝土破碎剪切器 GYDP-300/HNT	工作压力 (MPa)	≥70	72.6	符合	☆
		混凝土剪切开口距离 (mm)	≥280	300	符合	
		钢筋剪切开口距离 (mm)	≥120	130	符合	
		剪切能力	Q235A圆钢直径 (mm) ≥34	35	符合	
		破碎能力	C30混凝土楼板厚度 (mm) ≥245	250	符合	
		质量 (kg)	≤21	20.0	符合	
		带夜间照明系统, 配有电量显示功能, 电量低于20%时显示报警 (红色), 控制阀门为星形手柄, 用单手指即可操作。		符合要求	符合	
		额定电压: 28V; 容量: 6.0Ah可通用于全 线电动工具。		符合要求	符合	
		配有220V电源线直接使用交流电源, 无工 作时间限制。		符合要求	符合	
		手柄具备旋转功能, 能沿机身中心轴切面 方向360° 旋转且每隔90° 能定位。		符合要求	符合	
11	电动开门器 GYDP-150/150	工作压力 (Mpa)	≥70	72.6	符合	☆
		抬升力 (kN)	≥145	150.2	符合	
		最大抬升距离 (mm)	≥140	150	符合	
		最小开缝距离 (mm)	≤5	2	符合	
		质量 (kg)	≤18	16	符合	
		带夜间照明系统, 配有电量显示功能, 电量低于20%时显示报警 (红色), 控制阀门为星形手柄, 用单手指即可操作。		符合要求	符合	
		额定电压: 28V; 容量: 6.0Ah可通用于全 线电动工具。		符合要求	符合	
		配有220V电源线直接使用交流电源, 无工 作时间限制。		符合要求	符合	
		手柄具备旋转功能, 能沿机身中心轴切面 方向360° 旋转且能任意位置固定。		符合要求	符合	

SQI/KJ-JL/BG-03


检测报告

报告编号: WB2105241724

上海市质量监督检验技术研究院

共 7 页第 7 页

检测结果汇总						
序号	检测项目	技术要求	检测结果	单项判定	备注	
12	油缸材质试验	Si (%)	≤0.40	0.24	符合	/
		Fe (%)	≤0.50	0.48	符合	
		Cu (%)	1.2~2.0	1.4	符合	
		Mn (%)	≤0.30	0.13	符合	
		Mg (%)	2.1~2.9	2.6	符合	
		Cr (%)	0.18~0.28	0.22	符合	
		Zn (%)	5.1~6.1	5.6	符合	
		Ti (%)	≤0.20	0.05	符合	
(以下空白)						



检测专用章

SQI/KJ-JL/BG-03

注 意 事 项

Notices

- 1、报告无“检验检测专用章”或检测单位公章无效。
The report is valid with the "special seal for inspection and testing" or the official seal of SQI.
- 2、不得部分复制报告，复制报告须加盖“检验检测专用章”或检测单位公章，否则无效。
The report shall not be reproduced except in full. The copied report is valid with the "special seal for inspection and testing" or the official seal of SQI.
- 3、报告无主检/编制、审核、批准人签名无效。
The report is valid with signature of major inspector, reviewer and approver.
- 4、报告涂改无效。
The report is invalid with any alteration or falsification.

授权国家质检中心名称

National Center of Quality Inspection and Testing

- 1、国家日用消费品质量检验检测中心
National Center of Quality Inspection and Testing on Consumer Goods
- 2、国家家具质量检验检测中心
National Center of Quality Inspection and Testing on Furniture
- 3、国家建筑材料及装饰装修材料质量检验检测中心
National Center of Quality Inspection and Testing on Building and Decoration Materials
- 4、国家智能电网分布式电源装备质量检验检测中心（上海）
National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai)
- 5、国家电器能效与安全质量检验检测中心
National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance
- 6、国家食品质量检验检测中心（上海）
National Center of Quality Inspection and Testing on Food Products (Shanghai)
- 7、国家保洁产品质量检验检测中心
National Center of Quality Inspection and Testing on Cosmetics and Cleaning Products
- 8、国家电光源质量检验检测中心（上海）
National Center of Inspection and Testing on Electric Light Source Quality (Shanghai)
- 9、国家灯具质量检验检测中心
China National Lighting Fitting Quality Inspection and Testing Centre (CLTC)



声 明

Statement

- 1、本质检机构保证检测的科学性、公正性和准确性，对检测的数据、结果负责，并对客户所提供的样品和技术资料保密。
SQI pledges to conduct scientific, impartial and accurate testing, undertakes the liability of testing data and results, and protects the confidentiality of client(s)' sample(s) and technical information.
- 2、对送样委托检测报告若有异议，应于报告收到之日起十五日内向本质检机构提出，逾期不予受理。
Any objection to the test report of delivered samples shall be submitted to SQI within 15 days from the date of receiving the report; overdue submission will not be accepted.
- 3、对于非本质检机构实施抽样的检测报告，检测结果仅适用于客户提供的样品。
For the test report not sampled by SQI, the test results hereon refer only to the sample(s) provided by the client.
- 4、未经本质检机构同意，委托人不得擅自使用检测数据、结果进行不当宣传。
Without prior approval of SQI, any client shall not use the testing data and results for improper publicity.
- 5、本质检机构在资质认定证书确定的能力范围内，对社会出具具有证明作用数据、结果时，应当标注检验检测机构资质认定标志，并加盖检验检测专用章。在资质认定证书确定的能力范围外，出具的检验检测报告或者证书上不得标注检验检测机构资质认定标志，该数据、结果对社会不具有证明作用。
Within the capacity scopes of Qualification Accreditation Certificates, SQI shall issue data and results with proving effect to the society with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA) and the special seal for inspection and testing of SQI. Beyond the capacity scopes of Qualification Accreditation Certificates, SQI shall not issue test reports or certificates with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA), and the data and results thereon have no proving effect to the society.

上海市质量监督检验技术研究院所属单位一览表
List of Subordinate Units of Shanghai Institute Of Quality Inspection and Technical Research (SQI)

- 1. 食品化妆品质量监督所(代码SF)/ 国家食品质量监督检验中心(上海)/ 国家化妆品质量监督检验中心 / 上海市食品质量监督检验站**
Institute of Quality Inspection of Food and Chemicals (SQI_SF) / National Center of Quality Inspection and Testing on Food Products (Shanghai) / National Center of Quality Inspection and Testing on Cosmetics and Caring Products / Shanghai Municipal Station of Quality Supervision and Inspection of Food Products

地址: 上海市徐汇区龙漕路381号	邮编: 200233
电话: 021-54263362	传真: 021-54265730
地址: 上海市奉贤区平庄西路3086号(日化产品)	邮编: 201499
电话: 021-57493107	传真: 021-57493162
E-mail: shhx@sqi.org.cn	Post: 200233
Address: No.381, Cangwu Rd., Xuhui District, Shanghai	Fax: 021-54265730
Tel: 021-54263362	Post: 201499
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai (Daily Chemical Products)	Fax: 021-57493162
Tel: 021-57493107	
E-mail: shhxus@sqi.org.cn	

- 2. 上海时代之光照明电器检测有限公司(代码ZN)/ 国家光源质量监督检验中心(上海)/ 国家灯具质量监督检验中心 / 国家轻工行业质量监督检验中心 / 上海市照明产品质量监督检验站**
Shanghai Alpha Lighting Equipment Testing Ltd. (SQI_ZN) / National Center of Inspection and Testing on Electric Light Source Quality (Shanghai) / China National Lighting Fitting Quality Inspection and Testing Centre (CLTC) / National Center for Quality Supervision and Inspection of Light Industrial Luminaires / Shanghai Municipal Station of Quality Supervision and Testing on Lighting Products

地址: 上海市闵行区江月路900号2号楼	邮编: 201114
电话: 021-54336162; 54336173; 54336181; 54336227	传真: 021-54337200
E-mail: sah@sqi.org.cn; sah@sahnet.com.cn; sdbg@sqi.org.cn	Post: 201114
Address: 2 nd Building, No.900, Jiangyue Rd., Minhang District, Shanghai	Fax: 021-54337200
Tel: 021-54336162, 54336173, 54336181, 54336227	
E-mail: sah@sqi.org.cn; sah@sahnet.com.cn; sdbg@sqi.org.cn	

- 3. 机电产品质量检验所(代码JD)/ 上海市机电产品质量监督检验站**
Institute of Quality Inspection of Mechanical and Electronic Products (SQI_JD) / Shanghai Municipal Station of Quality Supervision and Inspection of Mechanical and Electronic Products

地址: 上海市静安区万寿路918号	邮编: 200072
电话: 021-56035307; 56652534	传真: 021-56652624
E-mail: jds@sqi.org.cn	Post: 200072
Address: No.918, Wanshou Rd., Jing'an District, Shanghai	Fax: 021-56652624
Tel: 021-56035307, 56652534	
E-mail: jds@sqi.org.cn	

- 4. 轻工与化工产品质量监督所(代码QG、HG)/ 国家日用消费品质量监督检验中心 / 上海市轻工产品质量监督检验站 / 上海市化工产品质量监督检验站**
Institute of Quality Inspection of Light Industrial Products and Chemical Products (SQI_QG/HG) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Light Industrial Products / Shanghai Municipal Station of Quality Supervision and Inspection of Chemical Products

地址: 上海市闵行区江月路900号3号楼	邮编: 201114
电话: 021-54336172; 54336175; 54338258	传真: 021-54336175
E-mail: qgs@sqi.org.cn; qingong@sqi.org.cn	Post: 201114
Address: 3 rd Building, No.900, Jiangyue Rd., Minhang District, Shanghai	Fax: 021-54336175
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai	Post: 201499
Tel: 021-54336172, 54336175, 54338258	Fax: 021-54336175
E-mail: qgs@sqi.org.cn; qingong@sqi.org.cn	

- 5. 建材家居装饰装修质量监督所(代码JC)/ 国家家具质量监督检验中心 / 国家轻工行业质量监督检验中心 / 国家轻工业地材五金质量监督检验中心 / 国家建筑材料及装饰装修材料质量监督检验中心 / 上海市建筑材料及装饰装修材料质量监督检验站 / 上海市室内装饰装修质量监督检验站**
Institute of Quality Inspection of Building Materials and Decoration Materials (SQI_JC) / National Center of Quality Inspection and Testing on Furniture / National Center for Quality Supervision and Inspection of Light Industrial Furniture / National Center for Quality Supervision and Inspection of Light Industrial Building Hardware / National Center of Quality Inspection and Testing on Building and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Building Materials and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Interior Decoration

地址: 上海市闵行区江月路900号5号楼	邮编: 201114
电话: 021-54336170; 54336225	传真: 021-54336170
地址: 上海市奉贤区平庄西路3086号	邮编: 201499
电话: 021-57493115	传真: 021-57493162
E-mail: js@sqi.com.cn; jiancai@sqi.org.cn	Post: 201114
Address: 5 th Building, No.900, Jiangyue Rd., Minhang District, Shanghai	Fax: 021-54336170
Tel: 021-54336170, 54336225	Post: 201499
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai	Fax: 021-57493162
Tel: 021-57493115	
E-mail: js@sqi.com.cn; jiancai@sqi.org.cn	

- 6. 电子电器家用电器质量监督所(代码DZ、DQ)/ 国家能效与安全质量监督检验中心 / 国家智能电网分布式电源装备质量监督检验中心(上海) / 上海市电子电器家用电器质量监督检验站**
Institute of Quality Inspection of Electronics and Household Appliances (SQI_DZ/DQ) / National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance / National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai) / Shanghai Municipal Station of Quality Supervision and Inspection of Electronics and Household Appliances

地址: 上海市闵行区江月路900号4号楼	邮编: 201114
电话: 021-54336322; 64336605	传真: 021-64313348
E-mail: dzs@sqi.org.cn	Post: 201114
Address: 4 th Building, No.900, Jiangyue Rd., Minhang District, Shanghai	Fax: 021-64313348
Tel: 021-54336322, 64336605	
E-mail: dzs@sqi.org.cn	Post: 200233
Address: No.381, Cangwu Rd., Xuhui District, Shanghai	Fax: 021-64850806
Tel: 021-54263097, 64336605	Post: 200233
E-mail: dqs@sqi.org.cn	Fax: 021-64850806

- 7. 计量检测所(代码JL)**
Institute of Metrology Inspection (SQI_JL)

地址: 上海市闵行区江月路900号	邮编: 201114
电话: 021-54336149; 54336148	传真: 021-62892960
地址: 上海市徐汇区永嘉路627号	邮编: 200031
电话: 021-64372125	传真: 021-64372135
E-mail: jls@sqi.org.cn	Post: 201114
Address: No.900, Jiangyue Rd., Minhang District, Shanghai	Fax: 021-62892960
Tel: 021-54336149, 54336148	Post: 200031
Tel: 021-64372125	Fax: 021-64372135
E-mail: jls@sqi.org.cn	

- 8. 纤维检测所(代码XW)/ 国家日用消费品质量监督检验中心 / 上海市纺织纤维质量监督检验站**
Institute of Fiber Inspection (SQI_XW) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Textile and Fiber

地址: 上海市市长江路1228号	邮编: 200040
电话: 021-62495465	传真: 021-62481025
E-mail: xws@sqi.org.cn	Post: 200040
Address: No.1228, Changde Rd., Shanghai	Fax: 021-62481025
Tel: 021-62495465	
E-mail: xws@sqi.org.cn	

